

AKT1/2/3 Recombinant antibody

Cat: B35004D Company: HaoKebio

Uniprot ID:P31749 Applications: IHC:1:100-1:200

Organism: Rabbit IHC-Polymer: 1:400-1:800

Species reactivity: Human Mouse Rat IHC-TSA:1:500-1:1000

Molecular Weight Calculation: 56 kDa WB:1:1000-1:5000

Observed Molecular Weight: 56 kDa

Background:

The protein encoded by this gene is a member of the AKT, also called PKB, serine/threonine prote in kinase family. AKT kinases are known to be r egulators of cell signaling in response to insulin and growth factors. They are involved in a wide variety of biological processes including cell prol iferation, differentiation, apoptosis, tumorigenesis, as well as glycogen synthesis and glucose uptake. This kinase has been shown to be stimulated by platelet-derived growth factor (PDGF), insulin, and insulin-like growth factor 1 (IGF1). Altern atively splice transcript variants encoding distinct isoforms have been described.

Protein full name:

Protein Kinase B1, Protein Kinase B2, Protein Kinase B3

Synonyms:

MPPH; PKBG; MPPH2; PRKBG; STK-2; PKB-GAMMA; RAC-gamma; RAC-PK-gamma

Immunogen:

Recombinant protein

Isotype:

IgG

Subcellular location:

Cytoplasm, Nucleus

Purity:

Affinity purification

Form:

Liquid

Storage Buffer:

PBS with 0.02%sodium azide,100 $\mu g/ml$ BSA and 50% glyce rol.


Storage:

Store at -20 °C for one year.

Experimental procedure:

Antigen retrieval: Citrate buffer (pH 9.0), Medium high heat for 8 minutes, stop for 7 minutes, medium high heat for 8 minutes. Incubate antibody, 4°C overnight. Secondary antibody: Poly-HRP Goat Anti-Rabbit & Mouse Universal Secondary Antibody, RT, 1h.

Images:



Dilution of 1:1000 incubated at room temperature for 1.5 hours.

Source of Reagents:

发表[中文论文]请标注:AKT1/2/3(B35004D)由杭州浩克生物技术有限公司提供;

发表[英文论文]请标注:AKT1/2/3(B35004D) were kindly pr ovided by Hangzhou Haoke Biotechnology Co., Ltd.